
12.2 General Science Paper 2 (237/2)

SECTION A: BIOLOGY (34 marks)

1.	(a)	Air; moisture;salinity	; P ^H ; temper	atur	e; any two.	(2 x 1)	(2 marks)		
	(b)	Ticks on buffaloes/tse other correct relations		ı wa	ter bucks/ fleas on	monkeys; accept any (1 x 2)	y (2 marks)		
2.	(a)	Pass hereditary chara Perpetuate the specie Continuation of life		futu	re generations;				
	(b)	Natural selection/enhances variations; any two. (2 x 1) (2 marks Fertilization - fusion of sperm and egg to form zygote while ovulation is the release of the ovum from the ovary into the fallopian tube; (mark as a whole)							
	(c)	Testosterone;							
3.	(a)	Decomposition/decay;							
	(b)	Long/fibrous roots; for anchorage in /absorption of nutrients from water.							
	(c)	By converting pollutants to harmless substances; accept recycling.							
4.	(a)	Fast/rapid/exponential growth; many cells are dividing/optimum environmental conditions; (2 marks)							
	(b)	A period during which a viable seed undergoes no growth;							
	(c)	Lateral buds sprout; due to reduced supply of auxins;							
	(d)	Lateral buds sprout; due to reduced supply of auxins; (2 marks) A period during which a seed does not germinate even if in favourable conditions.							
5.	(a)	The man produces two types of sperms one containing X chromosomes and the other Y chromosomes; while the woman produces ova with only X chromosomes; If the X sperm fertilizes the ovum the result is a girl and if the Y sperm fertilizes the ovum the result is a boy; (maximum two marks). (2 marks)							
	(b)	Parental Genoty Meiosis Gametes Fertilization F1 Genotype F1 Phenotype F1 Phenotypic ratio	Rr Red-eyed	•	rr; ; White-eyed 1		3 marks)		
		Service (1 3371 to 3							
	Red (c)	eyed: White eyed Phenotypic ratio	1	:	1		(1 mark)		



$$\therefore 2 \times 3.6 = 18x$$


$$2 \times 3.6$$

 $x = \frac{2 \times 3.6}{18} = 0.4$ moles of H atoms.

(2 marks)

- 13. (a) Fermentation is a process in which cane sugar substances is converted into ethanol and carbon (IV) oxide (1) in absence of oxygen. (1)
 - (b) Distillation. (1)
 - (c) Fuel, solvent, pharmaceutical, Chromatography, cosmetics. (1) (4 marks)
 Preparation of Esters, Ethene, Ethanoic
 As an antiseptic (Any one)
- 14. (a) Plotting (1) scale (1) curve (1) (If graph is inverted maximum 2)
 - (b) $0.4 \text{cm}^3 \text{ per second (1)}$ (4 marks)

VOLUME OF HYDROGEN GAS EVOLVED AGAINST TIME




- Cracking Hydrocarbons/electrolysis of acidulated water/electrolysis of Brine.

 Water gas (any one) (1 mark)
 - (b) Increasing pressure increases yield of ammonia. (1)
 4 volumes of reactants against 2 volumes of products; hence increase in pressure raises the volumes of products. (1)


	(c)	Manufacture of nitric(V) acid explosives, nylon & plastics. (any one) (1)). (4 marks)		
16.	(a)	Aluminium is a reactive metal. (1)			
	(b)	N is made from carbon electrodes which react with oxygen evolved, forming CO ₂ , (Hence requires to be replaced regularly.			
	(c)	Lower the melting point of bauxite. (1)			
	(d)	It has a low density (1) and a good conductor of electricity.(1)	(5 marks)		
17.	(a)	Is a solution that contains one mole of a substance per litre. (1)	(o mano)		
	(b)	6.24g of CuSO ₄ .5H ₂ O contains $\frac{6.24}{249.5} = 0.025$ moles			
		250cm ³ of solution contains 0.025mole			
		∴ 1000 cm^3 contains $\frac{1000}{250} \times 0.025$			
		$= 4 \times 0.025$			
		$= 0.1 \mathrm{moles}$			
		Molarity of the solution is 0.1M	(3 marks)		
18.	(a)	A endothermic reaction. $\frac{1}{2}$ heat is absorbed. $\frac{1}{2}$			
		B exothermic reaction $\frac{1}{2}$ heat is evolved.			
	(b)	It does not support burning (1) It is denser than air (1)			
	(c)	biogas is clean, (no smoke); firewood produce more smoke. (any 1) conservation of forest. heat value of biogas is high.	S		
		No residue in biogas after burning while in firewood ash remains.	(5 marks)		
19.		er the same conditions of temperature and pressure, the rate of diffusion of a gas is sely proportional to the square root of its density. (1) (1 ms			
20.	(a)	Upward displacement of air or downward delivery.(1)			
	(b)	Chlorine is denser than air.	*		
	(c)	Water treatment/treatment of sewerage.			
		Manufacture of PVC.			
		CFCs/CCI ₄ /CHCI ₃ . any two $\sqrt{1}$ mark As a bleaching agent.	(3 marks)		
			()		
		611			

SECTION C: PHYSICS: (33 marks)

21. (a)




22. (1 mark)



23. On rubbing electrons leave the cloth and accumulate on the plastic ruler. (1 mark)
The ruler becomes negatively charged while the cloth is left with a net positive charge.

24. (1 mark)



Position of ammeter


(1 mark)

Position of voltameter

(1 mark)

25.

(1 mark)



26. (a)
$$a = 10cm$$

(1 mark)

(b)
$$\lambda = 20 \text{cm}$$

(1 mark)

27. Distance = speed x time =
$$340 \times 0.4$$

(1 mark)

(1 mark)


$$=68m$$

28.
$$I = 0.35A$$

(1 mark)

29. (a)

(1 mark)




$$n = \frac{\sin i}{\sin r}$$

$$1.5 = \frac{\sin{(90 - 40)^{\circ}}}{\sin{r}} \tag{1 mark}$$

$$\sin r = \frac{\sin 50}{1.5} = \frac{0.766}{1.5} = 0.5106$$

$$r \simeq 30.71^{\circ}$$
 (1 mark)


30.



$$P = VI$$
$$= \frac{V^2}{R};$$

$$=\frac{240\times240}{20};$$

32. (a) to minimize collisions between cathode rays and air molecules; to minimise reduction of KE of the cathode rays; to reduce ionization of air molecules.




- 33. higher frequency x rays are produced more penetrating x-rays/hard x-rays/Higher energy/x-rays/High quality x-rays.
- 34. used in treatment of cancer;
 - used to sterilize medical equipment;
 - used in detecting abnormal tissue in people.

(any two 1 mark each) (2 marks)

(a) conduction in semiconductors is by electrons and holes while in conductors it is by electrons.
 conductivity of a semiconductor increases with increase in temperature while that of a conductor decreases with increase in temperature.
 (any 1 correct) (1 mark)

(b)



- 36. From the graph,
 Mass at t = 0 is 80g;
 time when mass is 40g; is 2.25 minutes.
 - :. half life period is 2.25 minutes;
 - or 1 mark for reading off values of mass reducing by half .

1 mark for the time taken for mass to reduce to half the original.