


## 4.3 MATHEMATICS (121 AND 122)

### 4.3.1 Mathematics Alternative A Paper 1 (121/1)

1.	Cows = 32 Sheep = $32 \times 12$ = 384 Goats = $384 + 1344$ = 1728 Number of goats that remained = $\frac{1}{4} \times 1728$ = 432	M1	
		M1	
		A1	
		4	
2.	$\frac{\sqrt{1764}}{\sqrt[3]{2744}} = \frac{\sqrt{2^2 \times 3^2 \times 7^2}}{\sqrt[3]{2^3 \times 7^3}}$ $= \frac{2 \times 3 \times 7}{2 \times 7}$ $= 3$	M1	For prime factors of both
		M1	$\sqrt{\phantom{x}}$ and $\sqrt[3]{\phantom{x}}$
		A1	
		3	
3.	Volume = $\frac{1}{3} \times \frac{22}{7} \times (14)^2 \times 18$ = $3696 \text{ cm}^3$ Density = $\frac{4.62 \times 1000}{3696}$ = $1.25 \text{ g/cm}^3$	M1	
		M1	
		A1	
		3	

4.



$$DX = 5.3 \pm 0.1$$

B1

B1

B1

✓ measurements and angles

✓ complete net (labelled)

3

5. C.P. for carpet

$$= \frac{36000 \times 100}{120}$$

$$= 30000$$

% profit made during trade fair

$$= \frac{33600 - 30000}{30000} \times 100$$

$$= 12\%$$

M1

M1

A1

3

6.	$  \begin{aligned}  &= \frac{243^{\frac{-2}{5}} \times 125^{\frac{2}{3}}}{9^{\frac{-3}{2}}} \\  &= \frac{27 \times 25}{9} \\  &= 75  \end{aligned}  $	M1 M1 A1	✓ manipulation of all indices or equivalent simplification
7.	$  \begin{aligned}  &= \frac{\theta}{2\pi} \times \pi \times 2.1 \times 2.1 = 2.31 \\  \theta &= \frac{2.31 \times 2}{2.1 \times 2.1} \\  &= 1.05^\circ  \end{aligned}  $	M1 A1	
8.	$  \begin{aligned}  &(x + 2y)^2 - (2y - 3)^2 \\  &= (x^2 + 4xy + 4y^2) - (4y^2 - 12y + 9) \\  &= x^2 + 4xy + 12y - 9  \end{aligned}  $	M1 A1	

9.	<p>Distance MN = <math>6.8 \times 100</math> = 680 km</p>	B1 B1	✓ location of M ✓ location of N
10.	$(2n - 4) \times 90 = 1800$ $180n = 2160$ $n = 12$ size of each exterior angle  $= \frac{360}{12} = 30^\circ$	M1 A1 4	MN = $6.8 \pm 0.1$ cm
11.	let age of cow be $x$ years $\therefore x\left(x - 4\frac{2}{3}\right) = 8$ $3x^2 - 14x - 24 = 0$ $(3x + 4)(x - 6) = 0$ $x = 6$ or $-\frac{4}{3}$ Age of cow = 6 years Age of heifer = $1\frac{1}{3}$ years	M1 M1 A1 B1 4	

12.	$4 \leq 3x - 2 < 9 + x$ $4 \leq 3x - 2 \quad 3x - 2 < 9 + x$ $6 \leq 3x \quad 2x < 11$ $x \geq 2 \quad x < 5\frac{1}{2}$ $\therefore 2 \leq x < 5\frac{1}{2}$ <p>Integral values 2, 3, 4, 5</p>	M1	
		A1	
		B1	
		3	
13.	<p>Volume of water in container</p> $= \frac{80}{100} \times 90(40 \times 25 - \pi \times 7.5^2)$ $= 59276.54975$ $\frac{59276.54975}{1000}$ $= 59.3$	M1	for $\frac{80}{100} \times 90$
		M1	difference in volumes
		M1	conversion into litres
		A1	
14.	<p>Angle for major arc = <math>360 - 105</math>  <math>= 255^\circ</math></p> <p>Length of arc = <math>\frac{255}{360} \times 2 \times 8.4 \times \frac{22}{7}</math>  <math>= 37.4</math> cm</p>	B1	
		M1	
		A1	
		3	
15.	<p>Amount of work = <math>25 \times 16 \times 9</math>  Machines required</p> $= \frac{25 \times 16 \times 9}{12 \times 10}$ $= 30$	M1	
		M1	$\div$ by $12 \times 10$
		A1	
		3	
16.	$ AB  = \sqrt{(-3+2)^2 + (7-2)^2} = \sqrt{26}$ $ A'B'  = \sqrt{4^2 + (-20)^2} = \sqrt{416}$ $\text{Scale factor} = \frac{ A'B' }{ AB } = \frac{\sqrt{416}}{\sqrt{26}}$ $= 4$	M1	for $ AB $ and $ A'B' $
		M1	
		A1	
		3	

17.	(a) Equation of L		
	$\text{gradient} = \frac{6-3}{-1-2}$	M1	
	$= 3$		
	$\text{equation} = \frac{y-6}{x+1} = 3$	A1	
	$\Rightarrow y - 3x = 9$		
	(b) equation of P		
	$= \frac{y-6}{x+1} = -\frac{1}{3}$	M1	
	$3y + x = 17$	A1	
	(c) equation of Q		
	$= \frac{y-2}{x-1} = 3$	B1	
	$y = 3x - 1$		
	$x$ intercept when $y = 0 \Rightarrow x = \frac{1}{3}$	B1	
	$y$ intercept when $x = 0 \Rightarrow y = -1$	B1	
	(d) Intersection of lines P and Q $3y + x = 17..(i)$ $y - 3x = -1..(ii)$	M1	
	$3y + x = 17$ $3y - 9x = -3$	A1	for both $x = 2$ and $y = 5$
	$10x = 20 \Rightarrow x = 2$ subset $3y + 2 = 17 \Rightarrow y = 5$ $\therefore$ point of intersection $(2, 5)$	B1	
		10	

18.

(a)

Class	3-5	6-8	9-11	12-14	15-17	18-20
Frequency	3	8	13	10	4	2

(b) (i) mean length =  $\frac{\sum fx}{\sum f}$

$$= \frac{4 \times 3 + 7 \times 8 + 10 \times 13 + 13 \times 10 + 16 \times 4 + 19 \times 2}{40}$$


$$= 10.75$$

(ii)

$$= \frac{23}{40} \times 100$$

$$= 57.5\%$$

(c)



B1

B1

B1

M1

for all ✓ mid points - i.e 4, 7,  
10, 13, 16, and 19

A1

B1

for 23

B1

S1

P1


C1

10

19.	(a) 15 m/s  (b) maximum speed $\frac{1}{2}(15+h) \times 10 + \frac{1}{2}(10+30)h = 825$ $75 + 5h + 20h = 825$ $25h = 750$ $h = 30 \text{ m/s}$ (c) (i) $= \frac{30 - 15}{10}$ $= 1.5 \text{ m/s}^2$ (ii) $= \frac{0 - 30}{20} = -1.5 \text{ m/s}^2$  (d) $\left[ \frac{1}{2}(15+30) \times 10 + 10 \times 30 \right] \div 20$ $= (225 + 300) \div 20$ $= 26.25 \text{ m/s}$	B1	
		M1	
		M1	
		A1	
		M1	
		A1	
		B1	
		M1	for distance covered in first 20 seconds
		M1	
		B1	
		10	

20.	(a) base area $= \frac{1}{2} \times 15 \times 15 \sin 72^\circ \times 5$ $= 534.97$	B1 M1	use of $72^\circ$
	(b) Length AV $= \sqrt{36^2 + 15^2} = 39$	B1	
	(c) Area of triangular faces: $\frac{AB}{\sin 72^\circ} = \frac{15}{\sin 54^\circ}$ $AB = \frac{15 \sin 72^\circ}{\sin 54^\circ}$ $= 17.63$  $\therefore$ area $= \sqrt{\frac{1}{2}(39 + 39 + 17.63)(30.185)(8.815^2)}$ $= 334.89$	M1  M1  A1	$\checkmark$ application of Herons formula
	Total area $= 334.89 \times 5 + 534.97$ $= 2209.42$	M1 A1	
(d) volume of pyramid $= \frac{1}{3} \times 534.97 \times 36$ $= 6419.63 \text{ cm}^2$ $\simeq 6420 \text{ (4 s.f.)}$	M1  A1  10		

21.	(a) <table border="1" style="margin-top: 10px; border-collapse: collapse; width: 100%;"> <tr><td><math>x</math></td><td>-2</td><td>-1</td><td>0</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td></tr> <tr><td><math>y</math></td><td>16</td><td>10</td><td>6</td><td>4</td><td>4</td><td>6</td><td>10</td><td>16</td><td>24</td><td>34</td><td>46</td></tr> </table>	$x$	-2	-1	0	1	2	3	4	5	6	7	8	$y$	16	10	6	4	4	6	10	16	24	34	46	
$x$	-2	-1	0	1	2	3	4	5	6	7	8															
$y$	16	10	6	4	4	6	10	16	24	34	46															
		B2 $y$ values (B1 for at least 6 correct)																								
	(b)    Area using trapezium rule $= \frac{1}{2} \times 1 [16 + 46 + 2(10 + 6 + 4 + 4 + 6 + 10 + 16 + 24 + 34)]$ $= \frac{1}{2}[62 + 2(114)]$ $= 145$	M1  M1    simplification  A1																								
	(c)    Area using mid-ordinate rule $= 2 \times (10 + 4 + 6 + 16 + 34)$ $= 140$	M1  A1																								
	(d)    Area using integration method $\int_{-2}^8 (x^2 - 3x + 6) dx = \frac{x^3}{3} - \frac{3x^2}{2} + 6x \Big _{-2}^8$ $= \left[ \frac{512}{3} - \frac{192}{2} + 48 \right] - \left[ \frac{-8}{3} - \frac{3 \times 4}{2} - 12 \right]$ $= 122\frac{2}{3} + 20\frac{2}{3}$ $= 143\frac{1}{3}$	M1    ✓ integration  M1  A1  10																								

22.	(a) (i)  (ii) $\text{radius} = 3.5 \pm 0.1$ (iii) height construction $\text{height} = 3.4 \pm 0.1$ (b) area of circle outside triangle $\begin{aligned} &= \pi \times 3.5^2 - \frac{1}{2} \times 3.4 \times 5 \\ &\simeq 29.98 \end{aligned}$	B1 construction of $30^\circ$ B1 construction of $105^\circ$ B1 completion of $\triangle ABC$	B1 $\perp$ bisectors B1 circle B1 B1 height constructed M1 A1 10
-----	--	---	--

23.	<p>(a) <math>\tan \theta = \frac{70}{240}</math>  <math>= 0.2917</math>  <math>\theta = 16.26^\circ</math></p> <p>(b) <math>AC = \sqrt{70^2 + 240^2}</math>  <math>= 250 \text{ m}</math></p> $\angle ACD = 150^\circ - (90^\circ - 16.26^\circ)$ $= 76.26^\circ$ $AD^2 = 200^2 + 250^2 - 2 \times 200 \times 250 \cos 76.26^\circ$ $AD = \sqrt{40000 + 62500 - 100000 \cos 76.26^\circ}$ $= 280.6$ <p>(c) Area of plot  <math>= \frac{1}{2} \times 240 \times 70 + \frac{1}{2} \times 250 \times 200 \sin 76.26^\circ</math>  <math>= 8400 + 24284.59</math>  <math>= 32684.59 \text{ m}^2</math>  <math>= \frac{32684.59}{10000}</math>  <math>= 3.27 \text{ ha}</math></p>	<p>M1</p> <p>A1</p> <p>B1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p>	<p>10</p>
-----	---	---	-----------

24.	(a) Value of $y$ when $x = -1$ $y = -1 - 4 + 3 = -2$	B1
	(b) Stationary points $\frac{dy}{dx} = 3x^2 - 8x - 3$	M1
	for stationary points $3x^2 - 8x - 3 = 0$	
	$(3x + 1)(x - 3) = 0$	M1
	$x = -\frac{1}{3}$ or $x = 3$	A1
	when $x = -\frac{1}{3}$ , $y = \frac{14}{27}$	
	when $x = 3$ , $y = -18$	
	$\therefore$ stationary points $\left(-\frac{1}{3}, \frac{14}{27}\right)$	B1
	and $(3, -18)$	B1
	(c) Equation of normal to curve: gradient of tangent at $x = 1$	
$\frac{dy}{dx} = 3 - 8 - 3 = -8$		B1
gradient of normal $= \frac{1}{8}$		B1
$\therefore$ equation of normal at $x = 1$ $\frac{y + 6}{x - 1} = \frac{1}{8}$		M1
$y + 6 = \frac{1}{8}x - \frac{1}{8}$		
$y = \frac{1}{8}x - 6\frac{1}{8}$		A1
		10

#### 4.3.2 Mathematics Alternative A Paper 2 (121/2)

1.	Limits: $12.5 \pm 0.05$ m and $9.23 \pm 0.005$ m Maximum difference $= 12.55 - 9.225$ $= 3.325$ m	B1																			
		M1 A1																			
2.	a) First 6 terms $-7, -4, -1, 2, 5, 8$  b) Sum of 1 <sup>st</sup> 50 terms $S_{50} = \frac{50}{2} \{2 \times -7 + 49 \times 3\}$ $= 3325$	B1																			
		M1 A1																			
		3																			
3.	a) $\angle BAC = 70^\circ - 30^\circ = 40^\circ$  Reflex $\angle BOC = 360^\circ - 80^\circ$ $= 280^\circ$ b) $\angle ACO = 40^\circ - 30^\circ = 10^\circ$	B1																			
		B1 B1																			
		3																			
4.	$L = \frac{kM}{N^2}$  $2 = \frac{k \times 12}{36}$  $k = 6$ $\therefore$ equation $L = \frac{6M}{N^2}$	B1																			
		M1																			
		A1																			
		3																			
5.	<table border="1"> <thead> <tr> <th>Marks</th> <th>Frequency</th> <th>c.f</th> </tr> </thead> <tbody> <tr> <td>1 - 10</td> <td>2</td> <td>2</td> </tr> <tr> <td>11 - 20</td> <td>4</td> <td>6</td> </tr> <tr> <td>21 - 30</td> <td>11</td> <td>17</td> </tr> <tr> <td>31 - 40</td> <td>5</td> <td>22</td> </tr> <tr> <td>41 - 50</td> <td>3</td> <td>25</td> </tr> </tbody> </table> <p>Median</p> $= 20.5 + \frac{12.5 - 6}{11} \times 10$ $= 20.5 + 5.91$ $= 26.41$ $\simeq 26$	Marks	Frequency	c.f	1 - 10	2	2	11 - 20	4	6	21 - 30	11	17	31 - 40	5	22	41 - 50	3	25	B1 for c.f	
Marks	Frequency	c.f																			
1 - 10	2	2																			
11 - 20	4	6																			
21 - 30	11	17																			
31 - 40	5	22																			
41 - 50	3	25																			
M1																					
M1																					
A1																					
4																					

6.	Amplitude = 2 Period = $\frac{360}{3} = 120^\circ$	B1 B1	
7.	Area scale factor = $\frac{30}{5} = 6$ $4x - 2x + 2 = 6$ $2x = 4$ $x = 2$	B1  M1  A1	
8.	$(3-x)^7 = 3^7 - 7(3)^6x + 21(3)^5x^2 - 35(3)^4x^3 + 35(3)^3x^4 + \dots$ $= 2187 - 5103x + 5103x^2 - 2835x^3 + 945x^4$ $(2.8)^7 = (3 - 0.2)^7$ $= 2187 - 5103(0.2) + 5103(0.2)^2 - 2835(0.2)^3 + 945(0.2)^4$ $= 1349.352$	B1  M1  A1	
9.	$\log \frac{15^2}{x} = \log 5(x - 4)$ $\frac{15^2}{x} = 5(x - 4)$ $x^2 - 4x - 45 = 0$ $(x - 9)(x + 5) = 0$ $x = 9 \text{ or } -5$ $x = 9$	M1  M1  M1  A1	
10.	$PR = \sqrt{60^2 + 11^2} = 61$ $\tan \theta = \frac{10}{61}$ $\theta = 9.31^\circ$	B1  M1  A1	

11.	$\begin{aligned} 3x - y &= 9 && \dots \times x \\ x^2 - xy &= 4 \end{aligned}$ $\begin{aligned} 3x^2 - xy &= 9x \\ x^2 - xy &= 4 \\ 2x^2 &= 9x - 4 \end{aligned}$ $\begin{aligned} 2x^2 - 9x + 4 &= 0 \\ (2x - 1)(x - 4) &= 0 \end{aligned}$ $\begin{aligned} x = \frac{1}{2} &\quad \text{or } x = 4 \\ y = 3\left(\frac{1}{2}\right) - 9 &\quad \text{or } 3(4) - 9 \\ &= -7\frac{1}{2} \quad \text{or } 3 \end{aligned}$	M1 M1 A1 B1 4	Attempt to solve Factors
12.	$\left(1 + \frac{r}{100}\right)^4 = \frac{495000}{280000}$ $1 + \frac{r}{100} = 1.153$ $r = 15.3$	M1 M1 A1 3	
13.	$8008 = \frac{40 + \theta}{360} \times 2 \times \frac{22}{7} \times 6370$ $40 + \theta = \frac{8008 \times 360 \times 7}{2 \times 22 \times 6370} = 72$ $\theta = 72^\circ - 40^\circ$ $= 32^\circ$ <p>Position of B(32° S, 20°W)</p>	M1 M1 A1 3	or 32° seen
14.	$\begin{aligned} \underline{\mathbf{r}} + \underline{\mathbf{s}} &= (7\underline{\mathbf{i}} + 2\underline{\mathbf{j}} - \underline{\mathbf{k}}) + (-\underline{\mathbf{i}} + \underline{\mathbf{j}} - \underline{\mathbf{k}}) \\ &= 6\underline{\mathbf{i}} + 3\underline{\mathbf{j}} - 2\underline{\mathbf{k}} \\  \underline{\mathbf{r}} + \underline{\mathbf{s}}  &= \sqrt{6^2 + 3^2 + (-2)^2} \\ &= 7 \end{aligned}$	B1 M1 A1 3	

15.	$y = \int (x^2 - 4x + 3) dx$ $= \frac{1}{3}x^3 - 2x^2 + 3x + c$ $0 = \frac{1}{3} - 2 + 3 + c$ $\therefore c = -\frac{4}{3}$ $\therefore y = \frac{1}{3}x^3 - 2x^2 + 3x - \frac{4}{3}$	M1  M1  A1  <hr/> 3	
16.	Temperature at the 2nd minute = $60^\circ$ Temperature at the 11th minute = $18^\circ$  Average rate of cooling  $= \frac{60 - 18}{2 - 11}$ $= \frac{42}{ 9 }$ $= 4\frac{2}{3} \text{ C/min}$	B1  M1  A1  <hr/> 3	for both ✓
17.	a) $A = \frac{3}{4}B, C = 2B$ $\Rightarrow A:B:C = \frac{3}{4}B:B:2B$ $= 3:4:8$  b) $\left(\frac{168}{8} \times 4\right) \text{litres}$ $= 84 l$  c) (i) $\frac{3 \times 160 + 4 \times 205 + 8 \times 100}{3 + 4 + 8}$ $= \text{Ksh } 140$  (ii) $\frac{182 - 140}{140} \times 100\%$ $= 30\%$  (iii) $\text{Ksh } 140 \times \frac{125}{100}$ $= \text{Ksh } 175$	M1  A1  M1  A1  M1  A1  M1  A1  M1  A1  M1  A1  <hr/> 10	


18.	a) (i) $(50 + 40)(50) = 30(30 + x)$ $4500 = 900 + 30x$ $30x = 3600$ $QS = x = 120 \text{ cm}$	M1	
	(ii) $RS = \frac{1}{2}QS$ $= \frac{1}{2}(120) = 60 \text{ cm}$ $OR = \sqrt{61^2 - 60^2}$ $= 11 \text{ cm}$	A1 B1 M1 A1	
	b) (i) $\sin \theta = \frac{60}{61}$ $\theta = 79.6^\circ$	M1 A1	or equivalent
	(ii) Angle at the centre $= 2 \times 79.6$ $= 159.2^\circ$	M1	
	Length of minor arc QS $= \frac{159.2}{360} \times 2\pi \times 61$ $= 169.5 \text{ cm}$	M1 A1	
		10	
19.	a) (i) $38392 + 2108$ $= \text{Ksh } 41000$	M1 A1	
	(ii) $10164 \times 0.1 + 9576 \times 0.15 + 9576 \times 0.2$ $+ 9576 \times 0.25 + 2108 \times 0.3$ $= 1016.4 + 1436.4 + 1915.2 + 2394 + 632.4$ $= \text{Ksh } 7394.4$	M1 M1 M1 A1	$\checkmark$ 1 <sup>st</sup> band $\checkmark$ 3 middle bands $\checkmark$ last (5 <sup>th</sup> ) band
	monthly income tax $= 7394.4 - 1162$ $= \text{Ksh } 6232.4$	B1	
	b) Amount saved in coop society $= \frac{5}{100} \times (41000 - 15000)$ $= \text{Ksh } 1300$	M1	
	Nett pay $41000 - (6232.4 + 1300)$ $= \text{Ksh } 33467.6$	M1 A1	
		10	

20.	a) $y > x$ $y \leq 2x$	B1 B1	
	$x + y < 20$ $x + y > 8$	B1 B1	
b) (i)			
(ii) Maximum area:	$9 \times 10 \\ = 90 \text{ m}^2$	B1 line $y = 2x$ and $\checkmark$ shading B1 broken line $x + y = 20$ and $\checkmark$ shading B1 broken line $x + y = 8$ and $\checkmark$ shading B1 broken line $y = x$ and $\checkmark$ shading	M1 A1 10

21. a) (i) $\frac{3}{6} + \frac{1}{6}$ $= \frac{2}{3}$  (ii) $\frac{2}{6} \times \frac{2}{6}$ $= \frac{1}{9}$	M1  A1  M1  A1	
b) 	B1  B1	
c) (i) P(Gatara plays football)  $= \frac{1}{2} \times \frac{2}{3} + \frac{1}{3} \times \frac{3}{5} + \frac{1}{6} \times \frac{1}{2}$  $= \frac{37}{60}$	M1  A1	
(ii) P(neither jogs nor plays football)  $= \frac{1}{2} \times \frac{1}{3} + \frac{1}{6} \times \frac{1}{2}$  $= \frac{1}{4}$	M1  A1	
		10



23.



- (i)  
(ii)

b) (i)  $9.2 \times 10 = 92 \text{ m}$

(ii) area of region bounded by locus of P,  
locus of Q and line  $BQ_1$   
angle =  $60^\circ$  radius = 46 m  
 $= \pi \times 46^2 \times \frac{60}{360}$   
 $= 1107.94$   
 $\simeq 1108 \text{ m}^2$

**B**

B2 locus of P  
B1 construction of  $30^\circ$   
B1 identification of centre  
B1 drawing of arc

B1

B1 Identifying region


B1 for radius and angle of sector

A1

10

24.

a)



b) (i) value of a  
 $= \frac{-0.7}{3.5}$   
 $= -0.2$   
 value of k = 1.7

(ii) equation:  $r = -0.2t + 1.7$

(iii) value of t when  $r = 0$   
 $\therefore 0 = -0.2t + 1.7$   
 $0.2t = 1.7$

$t = \frac{1.7}{0.2} = 8.5$

S1 ✓ scale  
 P2 (P1 for 4 points ✓ plotted)  
 L1 ✓ line  
 M1

A1  
 B1

B1


M1


A1

10

### 4.3.3 Mathematics Alternative B (122/1)


1.	$\frac{-8 \times +2 + -11}{+18 \div -2 \times +3} = \frac{-27}{-27}$  = 1	M1  A1  2	
2.	Number of boys = $630 - 84$ = 546  Number of students = $630 + 546$ = 1176  Number of parents = $1176 \div 4$ = 294	M1  M1  A1  3	
3.	$3(78 - y) + 5y = 300$ $2y = 66$ $y = 33$  $\therefore x = 78 - 48 = 45$ $10x + 15y = 450 + 495 = 945$	M1  A1  B1  3	
4.	(a) $96 = 2^5 \times 3$ $84 = 2^2 \times 3 \times 7$ $36 = 2^2 \times 3^2$  GCD of 96, 84 and 36 = $2^2 \times 3 = 12$  (b) Number of packets of foodstuffs  $= \frac{96}{12} + \frac{84}{12} + \frac{36}{12}$ $= 8 + 7 + 3 = 18$	M1  A1  M1  A1  4	or equivalent
5.	$\frac{128}{2^5 \div 2^8} = \frac{2^7}{2^{-3}}$  = $2^{10}$	B1  B1  B1  3	$\checkmark$ numerator $\checkmark$ denominator

6.		B1 B1 B1 	✓ construction of $30^\circ$ ✓ construction of $AD = 6 \text{ cm}$ identifying C and completing parallelogram
7.	$4\alpha + \alpha + 10 = 90^\circ$ $5\alpha = 80^\circ$ $\alpha = 16^\circ$ $\sin \alpha = 0.276$	M1 A1 B1 	
8.	$\frac{0.375 \div 0.06 - 4.2}{3.96 + 2.8 \times 0.05} = \frac{6.25 - 4.2}{3.96 + 0.14}$ $= \frac{2.05}{4.1}$ $= 0.5$	M1 M1 A1 	Evidence of division and multiplication should be seen.
9.	Mangoes: $2x + x + \frac{1}{3}x$ $= 3\frac{1}{3}x$ Oranges: $\frac{1}{3}y + y + \frac{2}{3}y = 2y$ Total Fruits = $3\frac{1}{3}x + 2y$	M1 M1 A1 	

10.	<p>(a) Cylinder</p> <p>(b)</p>  <p>Two circles of radius 1.4 touching the longer sides of a rectangle 4 cm by 8.8 cm.</p>	B1	
11.	<p>Fraction of circumference made = <math>\frac{12}{60}</math></p> $\frac{22}{7} \times 2r \times \frac{12}{60} = 17.6$ $r = \frac{7}{22} \times \frac{60}{12} \times \frac{17.6}{2}$ $= 14$	<p>B1</p> <p>M1</p> <p>M1</p> <p>A1</p>	<p>for correct circles for correct rectangle</p> <p>or equivalent</p>
12.	<p><math>\angle RQP = 147^\circ</math></p> <p><math>\angle SRP = 90^\circ</math></p> <p><math>\angle SRQ = 90 + 12 = 102^\circ</math></p>	<p>B1</p> <p>B1</p> <p>B1</p> <p>3</p>	<p>or <math>\angle RPS = 57^\circ</math></p> <p>or <math>180 - (57 + 21) = 102^\circ</math></p>

13.	$  \begin{aligned}  & 2x^2 + 6y - 3x - 4xy \\  & = 2x^2 - 4xy - 3x + 6y \\  & = 2x(x - 2y) - 3(x - 2y) \\  & = (2x - 3)(x - 2y)  \end{aligned}  $	M1	or equivalent
A1		2	
14.	$x^2 \sin 30^\circ = 34$	M1	
M1		A1	
A1		3	

15.



(a)  $\triangle PQR$   
 $\triangle P'Q'R'$

(b) Centre of enlargement  $(1, -2)$   
Scale factor of enlargement  $= \frac{10}{5} = 2$

B1
B1
B1
B1

4

16.  $\frac{L}{2.1} = \frac{L+5}{3.5}$

$$3.5L - 2.1L = 10.5$$

$$L = 7.5$$

$$L = 5 + 7.5 = 12.5$$

Curved area

$$= \frac{22}{7} \times (3.5 \times 12.5 - 2.1 \times 7.5)$$

$$= 88 \text{ cm}^2$$

M1
M1

for area  
for difference

A1

4


17.	(a) (i) Mumo's contribution:		
	$= \frac{25}{100} \times (30000 + 50000)$	M1	
	$= 20000$	A1	
	(ii) Ratio - Keya : Limo : Mumo		
	$= 30000:50000:20000$	M1	
	$= 3:5:2$	A1	
(b)	Mumo's share of profit		
	$= \frac{2}{10} \times 25000$	M1	
	$= 5000$	A1	
	(c) (i) $20000 + x = 80000 \times \frac{7}{8}$	M1	
	$x = 50000$	A1	
	(ii) Mumo's % contribution in business during 2 <sup>nd</sup> year		
	$= \frac{70000}{150000} \times 100$	M1	or $\frac{7}{15} \times 100\%$ M1
	$= 46\frac{2}{3}\%$	A1	$= 46\frac{2}{3}\%$ A1
		10	

18.	<p>(a) <math>1.54l = 1540 \text{ cm}^3</math></p> $\text{Volume} = \frac{22}{7} \times r^2 \times 10 = 1540$ $r = \sqrt{\frac{1540 \times 7}{22 \times 10}}$ $= 7$ <p><math>\therefore \text{Diameter} = 2 \times 7 = 14 \text{ cm}</math></p>	B1 M1 A1
	<p>(b) (i) Length of ribbon</p> $= 2 \times \frac{22}{7} \times 14 + 2 \times 2$ $= 88 + 4 = 92$	M1 M1 addition of the overlap A1
	<p>(ii) Surface area covered by ribbon</p> $= 88 \times 1.5 = 132 \text{ cm}^2$	B1
	<p>(c) Surface area</p> $= \frac{22}{7} \times 49 + \frac{22}{7} \times 14 \times 10$ $= 154 + 440$ $= 594 \text{ cm}^2$	M1 M1 A1 10

19.	(a) Scale used:  9 cm represent 90 m  $\therefore$ scale 1:1000	B1 B1
	(b) (i) perimeter of homestead  $(2 \times 10) \times 4$  $= 80 \text{ m}$	M1 A1
	(ii) Area of piece of land in ha.  $AB = 13.8 \times 10 = 138;$ $BC = 6 \times 10 = 60$  $\frac{\frac{1}{2}(60 + 90) \times 138}{10000}$  $= 1.035 \text{ ha}$	M1 M1 conversion to Hectares A1
	(c) $\perp$ distance from centre of homestead to side CD shown  Distance, 3.6 cm, on map Actual distance $3.6 \times 10 = 36 \text{ m}$	B1 B1 B1
		10

20.	(a) Gradient of $L_1$		
	$= \frac{1 - 2}{6 - 3}$	M1	
	$= \frac{1}{3}$		
	equation of $L_1$		
	$= \frac{y - 1}{x - 6} = \frac{1}{3}$	M1	
	$3y - 3 = x - 6$		
	$3y = x - 3$		
	$y = \frac{1}{3}x - 1$	A1	
	(b) Gradient of $L_2$		
	$= \frac{-1}{\frac{1}{3}}$	M1	
	$= -3$		
	$\therefore$ equation $\frac{y - 2}{x - 1} = -3$	M1	
	$y = -3x - 1$		
	$\Rightarrow 3x + y + 1 = 0$	A1	
	(c) equation of $L_3$		
	$\frac{y - 1}{x - 1} = -3$	M1	
	$y - 1 = -3(x - 1)$		
	$y = -3x + 4$	A1	
	$x$ intercept: when $y = 0$ , $x = \frac{4}{3}$ $\therefore$ coordinates of $x$ intercepts $\left(\frac{4}{3}, 0\right)$	B1	
	$y$ intercept: when $x = 0$ , $y = 4$ $\therefore$ coordinates of $y$ intercept $(0, 4)$	B1	
			10

21.



- (a) Lines PQ and PR  
angle  $75^\circ$  constructed  
completion of  $\triangle PQR$ .

B1
B1
B1
B1

- (b) (i)  $\perp$  bisector of PR  
  
 (ii) angle bisector  $\angle QPR$   
 $\angle POM 60^\circ \pm 1^\circ$   
  
 (iii) circle with radius OM  
 $XY = 4.3 \pm 0.1$   
 $\angle XOY 114^\circ \pm 1^\circ$

B1
B1


B1
B1
B1

10

22.	(a) (i)	$\frac{400\text{m}}{64\text{s}}$	M1	
		$= 6.25 \text{ m/s}$	A1	
	(ii)	speed during second lap		
		$6.25 \times 1.06$	M1	
		$6.625 \text{ m/s}$	A1	
	(b) (i)	total time for two laps		
		$\text{time for 2}^{\text{nd}} \text{ lap} = \frac{400}{6.625}$	M1	
		$\simeq 60.38 \text{ s}$		
		total time		
		$= 64 + 60.38$	M1	
		$= 124.38 \text{ s}$	A1	
	(ii)	average speed in km/h		
		$\frac{800}{124.38} \text{ m/s}$	M1	
		$= \frac{800}{124.38} \times \frac{3600}{1000}$	M1	✓ conversion
		$= 23.15 \text{ km/h}$	A1	
			10	

23.	(a) (i) amount of money spent		
	$= \frac{420}{8} \times 20 + 50$	M1	
	$= 1100$	A1	
	(ii) number of bananas sold		
	$= 420 + \frac{420}{70} - 14$		
	$= 412$	B1	
(b) (i)	s.p. of bananas		
	$= 1100 \times 1.6$	M1	
	$= 1760$		
	let $x$ be number of bananas sold at sh 30		
	$\therefore \frac{x}{5} \times 30 + \frac{412-x}{3} \times 10 = 1760$	M1	
	$18x + 412 - 10x = 1760$	M1	
	$x = 145$	A1	
	(ii) No of bananas sold at sh 10		
	$= 412 - 145 = 267$	B1	
	Amount of money obtained		
	$= \frac{267}{3} \times 10$	M1	
	$= 890$	A1	
		10	

24.

(a) (i)  $\triangle RST$  ✓ drawn

B1

$$\text{(ii) Area of } \triangle RST: \frac{1}{2} \times 5^2 = 12.5$$

M1

A1

(b) (i) Plotting point U  
coordinates of point U (2, 1)

B1

B1

(ii) Plotting of point V  
coordinates of point V (7, 6)

B1

B1

(c) Area of quadrilateral RSTV

$$\text{diagonals } RT = \sqrt{50} \text{ and } SV = \sqrt{200}$$

B1 for RT and SV

$$\therefore \text{Area} = \frac{1}{2} \times \sqrt{50} \times \sqrt{200}$$

M1

$$= \frac{1}{2} \times 5\sqrt{2} \times 10\sqrt{2}$$

$$= 50$$

A1


10

#### 4.3.4 Mathematics Alternative B Paper 2 (122/2)

1.	$\frac{(0.214)^{\frac{1}{2}} - (0.38)^3}{(0.817)^{\frac{1}{4}}} = \frac{0.40772934}{0.950726313}$ $= 0.4289$	B1 B1 2	
2.	<p>(a) <math>\frac{ar^5}{ar^2} = \frac{5}{32} \times \frac{4}{5}</math></p> $r^3 = \frac{1}{8} \Rightarrow r = \frac{1}{2}$ <p>(b) <math>ar^2 = \frac{5}{4}</math></p> $a \times \left(\frac{1}{2}\right)^2 = \frac{5}{4} \Rightarrow a = \frac{5}{4} \times \frac{4}{1}$ $a = 5$	M1 A1 M1 A1 4	
3.	$\frac{1}{2} \times 4a \{3a + (3a + 3)\} = 60$ $2a(6a + 3) = 60$ $12a^2 + 6a - 60 = 0$ $2a^2 + a - 10 = 0$ $(2a + 5)(a - 2) = 0$ $a = 2 \text{ or } a = -\frac{5}{2}$ $a = 2$	M1 M1 A1 3	
4.	Complete squares = 12 Part squares = 20 $\text{Approx. area} = 12 + \frac{20}{2}$ $= 22$	B1 M1 A1 3	for 12 and 20

5.	$A = 48000 (1.05)^3$ $= 55\ 566$ $\text{Interest} = 55\ 566 - 48\ 000$ $= 7\ 566$	M1  A1  B1  3	
6.	$3(4\underline{i} + 5\underline{j}) - 2(8\underline{i} - 3\underline{j}) = \underline{p}\underline{i} + 3\underline{q}\underline{j}$ $12\underline{i} + 15\underline{j} - 16\underline{i} + 6\underline{j} = \underline{p}\underline{i} + 3\underline{q}\underline{j}$ $-4\underline{i} + 21\underline{j} = \underline{p}\underline{i} + 3\underline{q}\underline{j}$ $\therefore p = -4$ $3q = 21 \Rightarrow q = 7$	M1  M1  A1  3	for $-4i + 21j$  for both $p = -4$ and $q = 7$
7.	In 1h A does $\frac{1}{8}$ of work B does $\frac{1}{10}$ of work In 3h both A and B do $3\left(\frac{1}{8} + \frac{1}{10}\right)$ $= \frac{27}{40}$ of work Remaining piece of work $= 1 - \frac{27}{40}$ $= \frac{13}{40}$ Time for A to complete the remaining work $= \frac{13}{40} \div \frac{1}{8}$ $= 2\frac{3}{5} \text{ h}$	M1  M1  M1  M1  A1  4	

8.



tangent at A

$$\text{gradient} = \frac{4 - 0}{2 - 0} \\ = 2$$

B1

M1

A1

3

9.

$$\tan^{-1} \sqrt{3} = 60^\circ$$

$$2\theta - 30^\circ = 60^\circ, 240^\circ, 420^\circ, 600^\circ$$

$$2\theta = 90^\circ, 270^\circ, 450^\circ, 630^\circ$$

$$\theta = 45^\circ, 135^\circ, 225^\circ, 315^\circ$$

B1

B1

B1

3

10.

$$\text{Longitude difference} = 50^\circ + 22^\circ \\ = 72^\circ$$


$$\text{Distance} = \frac{72}{360} \times \frac{22}{7} \times 2 \times 6370 \\ = 8008 \text{ km}$$


M1


M1

A1

3

11.	$\det \begin{pmatrix} 8 & 3 \\ 4 & 2 \end{pmatrix} = 16 - 12 = 4$ $\text{Matrix } N = \frac{1}{4} \begin{pmatrix} 2 & -3 \\ -4 & 8 \end{pmatrix}$ $= \begin{pmatrix} \frac{1}{2} & -\frac{3}{4} \\ -1 & 2 \end{pmatrix}$	B1  M1  A1  3	
12.	$5x + 6y = 50$ $7x + 5y = 53$  $42x + 30y = 318$ $25x + 30y = 250$ $17x = 68$ $x = 4$ $20 + 6y = 50 \Rightarrow y = 5$	M1  M1  A1  B1  4	for both equations set
13.	Angle for:  Cars = $\frac{14}{72} \times 360^\circ = 70^\circ$ Lorries = $\frac{11}{72} \times 360^\circ = 55^\circ$ Motor cycle = $\frac{38}{72} \times 360^\circ = 190^\circ$ Pick ups = $\frac{9}{72} \times 360^\circ = 45^\circ$  	B2  B1  3	All angles correct (allow B1 for 3 correct)

14.	<p>Area scale factor = Det of matrix</p> $= \frac{4}{9} - 0$ $= \frac{4}{9}$ <p>Area of A'B'C'D' = <math>\frac{4}{9} \times 27</math></p> $= 12 \text{ cm}^2$	M1  M1 A1  3	
15.	<p>(a)</p>  <p>(b) Constant of proportionality =</p> $\text{Gradient} = \frac{24 - 12}{20 - 10} = 1.2$	P1 L1  B1  3	✓ plotting ✓ line drawn  or equivalent

16.	<p>Let CT = a</p> $AT.TB = CT.TD$ $12 \times 3 = a \times 4$ $a = \frac{12 \times 3}{4}$ $= 9$ $CT : TD = 9:4$	M1 A1 B1 3	
17.	<p>(a) (i) <math>40000 \times \frac{20.5}{100}</math>  <math>= 8200</math></p> <p>(ii) total hire purchase price  <math>= 8200 + 12 \times 4800</math>  <math>= 65800</math></p> <p>(iii) deposit as percentage of hire purchase price  <math>= \frac{8200}{65800} \times 100\%</math>  <math>= 12.46200608 = 12.5\%</math></p> <p>(iv) h.p. price more than cash price  <math>= 65800 - 40000 = 25800</math></p> <p>(b) Bidii's deposit as percentage of cash price  <math>= 65800 - (12 \times 4000)</math>  <math>= 17800</math>  %age <math>= \frac{17800}{40000} \times 100\%</math>  <math>= 44.5\%</math></p>	M1 A1 M1 A1 M1 A1 B1 M1 A1 B1 B1 10	

18.	(a)		
	(i) let number of pieces be n		
	$15 = 0.5 + (n - 1) \times 0.25$	M1	
	$0.25n = 14.75$		
	$n = 59$	A1	
	(ii) length of 10th piece		
	$= 0.5 + (10 - 1)0.25$	M1	
	$= 0.5 + 9 \times 0.25 = 2.75 \text{ m}$	A1	
	(iii) $S_{59} = \frac{59}{2} \{2 \times 0.5 + 58 \times 0.25\}$	M1	
	$= 457.25 \text{ m}$	A1	
	(b)		
	$63 = \frac{n}{2} \{2 \times 0.5 + (n - 1)0.25\}$	M1	
	$126 = n \{1 + 0.25n - 0.25\}$		
	$0.75n + 0.25n^2 = 126$		
	$n^2 + 3n - 504 = 0$		
	$(n + 24)(n - 21) = 0$	M1	or equivalent
	$n = -24 \text{ or } 21$	A1	
	$n = 21$	B1	
		10	


19.

(a)

x	-6	-5	-4	-3	-2	-1	0	1	2	3
y	13	5	(-1)	-5	-7	-7	(-5)	-1	5	13

(b) (i)

B2 (allow B1 for 5 values ✓)



(ii) -4.2, 1.2

c(i)  
 (-3.2, -4.5)  
 (2.2, 6.5)

S1

P1

C1

B1

B1

L1

B1

B1

✓ coordinates


10

20.	(a) The mean:																										
	$\bar{x} = \frac{2 \times 34.5 + 4 \times 44.5 + 10 \times 54.5 + 13 \times 64.5 + 14 \times 74.5 + 5 \times 84.5 + 2 \times 94.5}{50}$ $= \frac{3285}{50}$ $= 65.7$	B1 M1 A1	mid points for $\sum fx$																								
	(b)																										
	<table border="1"> <thead> <tr> <th>Marks</th><th>30-39</th><th>40-49</th><th>50-59</th><th>60-69</th><th>70-79</th><th>80-89</th><th>90-99</th></tr> </thead> <tbody> <tr> <td>frequency</td><td>2</td><td>4</td><td>10</td><td>13</td><td>14</td><td>5</td><td>2</td></tr> <tr> <td>cf</td><td>2</td><td>6</td><td>16</td><td>29</td><td>43</td><td>48</td><td>50</td></tr> </tbody> </table>	Marks	30-39	40-49	50-59	60-69	70-79	80-89	90-99	frequency	2	4	10	13	14	5	2	cf	2	6	16	29	43	48	50	B1	$\checkmark$ cfs
Marks	30-39	40-49	50-59	60-69	70-79	80-89	90-99																				
frequency	2	4	10	13	14	5	2																				
cf	2	6	16	29	43	48	50																				
		S1 P1 C1																									
	(c) (i) median : 66.5	B1	$25^{\text{th}}$ pos for 66.5																								
	(ii) position of student who scores 75 = 37 <sup>th</sup>	B1 B1 B1																									
		10																									

21.	<p>(a) <math>AD = \sqrt{9.2^2 - 6^2}</math>  <math>= 7.0</math></p> <p>(b) Angle ABD = <math>\cos^{-1} \frac{6}{9.2}</math>  <math>= 49.3^\circ</math></p> <p>(c) <math>\frac{BC}{9.2} = \tan 40^\circ</math>  <math>BC = 9.2 \tan 40^\circ</math>  <math>= 7.7</math></p> <p>(d) Area of <math>\Delta ACD</math>:</p> $\angle ADB = 90^\circ - 49.3^\circ = 40.7^\circ$ <p>Side DC: <math>\frac{9.2}{DC} = \cos 40^\circ</math>  <math>DC = \frac{9.2}{\cos 40^\circ} = 12 \text{ cm}</math></p> <p><math>\therefore</math> Area <math>\Delta ACD</math></p> $= \frac{1}{2} AD \times DC \sin (40 + 40.7)$ $= \frac{1}{2} \times 7 \times 12 \times \sin 80.7$ $= 41.4 \text{ cm}^2$	M1  A1  M1  A1  M1  A1  B1  B1  M1  A1  10
-----	---	--

22.	(a) $P(\text{Daudi uses a train and is punctual})$  $= 0.3 \times 0.8$  $= 0.24$	M1  A1	
	(b) $P(\text{Daudi uses bus and is late for work})$  $= 0.5 \times 0.3$  $= 0.15$	M1  A1	
	(c) $P(\text{Daudi punctual})$  $= 0.3 \times 0.8 + 0.5 \times 0.7 + 0.2 \times 0.9$  $= 0.24 + 0.35 + 0.18$  $= 0.77$	M1  A1	
	(d) $P(\text{Daudi late})$  $= 1 - 0.77$  $= 0.23$	M1  A1	
	(e) $P(\text{Daudi uses train or bus and is punctual})$  $= 0.3 \times 0.8 + 0.5 \times 0.7$  $= 0.59$	M1  A1	10

23.



(a) (i)

$$\text{(ii)} \begin{pmatrix} -\frac{3}{5} & \frac{4}{5} \\ \frac{4}{5} & \frac{3}{5} \end{pmatrix} \begin{pmatrix} 2 & 2 & 6 \\ 4 & 9 & 2 \end{pmatrix} = \begin{pmatrix} 2 & 6 & -2 \\ 4 & 7 & 6 \end{pmatrix}$$

(b) Reflection in line  $y = 2x$ 

(c) (i)

$$\text{(ii) matrix of } H = \begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix}$$

$$\text{(d) } HT = \begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix} \begin{pmatrix} -\frac{3}{5} & \frac{4}{5} \\ \frac{4}{5} & \frac{3}{5} \end{pmatrix} = \begin{pmatrix} \frac{3}{5} & -\frac{4}{5} \\ -\frac{4}{5} & -\frac{3}{5} \end{pmatrix}$$

B1 ΔABC drawn

M1

A1

B1 ΔA'B'C' ✓ drawn

B1 reflection

B1 equation  $y = 2x$ 

B1 ΔA''B''C'' ✓ drawn

M1 or equivalent

A1

10

24.

Dr			Cr		
Date 2014	Particulars	Sh Cts	Date 2014	Particulars	Sh Cts
January			January		
1	Balance	3250.00	3	Oranges	9000.00
5	Orange	11750.00	4	Pawpaw	1650.00
6	Pawpaw	1812.50	4	Vegetables	700.00
6	Vegetable	1140.00	4	Transport	200.00
			8	Market fees	150.00
			10	Wages	400.00
			11	Balance	5852.50
		<b>17952.50</b>			<b>17952.50</b>

Oranges sales = 11750.00

Pawpaw sales = 1812.50

Oranges purchase = 9000.00

Pawpaw purchase = 1650.00

all other entries correct

Totals

Dr/Cr columns = 17952.50

Balance on 11/01/2011

 $= \text{Sh } 17952.50 - (900 + 1650 + 700 + 200 + 150 + 400)$  $= 5852.50$ 

B1

B1

B1

B1

B2

M1

A1

M1

A1

10