

ASUMBI GIRLS HIGH SCHOOL TERM 2 – DECEMBER 2021 FORM 4

CHEMISTRY PAPER 1

Name:	 Adm No:
Class:	 Candidate's Sign:
Date:	
233/1 CHEMISTRY PAPER 1	
TIME: 1 HOUR	

Kenya Certificate of Secondary Education (K.C.S.E.)

FORM FOUR

Chemistry Paper 1

INSTRUCTIONS TO THE CANDIDATES:-

- Write your name and Admission number in the spaces provided.
- Answer all the questions in the spaces provided.
- Mathematical tables and electronic calculators may be used
- All working MUST be clearly shown where necessary.



For Examiner's Use Only:

Question	Maximum score	Candidate's score
1-25	80 MARKS	

1	[a] State Boyle's law	[1mk]
••••	[b] At 400°C, 850cm³ of a gas exert a pressure of 560mmHg. What volume of the same	e gas
••••	would exert a pressure of 640mmHg at the same temperature?	[3mks]
2.	When burning magnesium is lowered into a gas jar containing nitrogen (I) oxide, it continuforming a white solid	ies to burn
	[a] Name the white solid	1mk]
	[b] Write a chemical equation of the reaction that occurred	[1mk]
3.	Carbon {IV} oxide is one of the gases used in fire extinguishers	
••••	[a] State any other possible use of carbon {IV} oxide	[1mk]
	[b] Name any two reagents that can be reacted together ti generate carbon {IV} oxide	[2mks]
 4.	Rusting is a process that causes massive destruction of iron structures	
	[a] State one condition that accelerates rusting	[1mk]

	_	_	_
			7
			_
Teac	her.	CO.	кe

	[b] State one advantage of rusting	[1mk]
5.	At 60°C, 38 grams of lead{II} nitrate saturate 56cm³ of water. Determine the solubility of lead nitrate at this temperature	ad {II} 2mks]
6.	Explain why molten sodium chloride conducts electricity, but solid sodium chloride does [21	not nks]
7.	A polymer can be represented as The state of the state o	
	[a] Name and draw the structure of the monomer	[2mks]
	[b] What type of polymerization occurs in the above case?	[1mk]
	[c] Given that the molecular mass of the polymer is 25620, how many units of the monomake the polymer	mer [2mks]
8.	A reaction can be represented as; $C_2H_{4[g]} + HBr_{[g]} \longrightarrow C_2H_5Br_{[g]}$	

	Given the bond energies of C-H, C=C, C-C, C-Br, and H –Br as 20kJ/mol, 5		-	
		46Kj/mole, 438KJ/mole and 396kJ/mole respectively. Determine the heat of 2H5Br	[3mks]	
9	[a	a] Define the term, dynamic equilibrium	[1mks]	
•••••	[b	b] A reaction at equilibrium can be represented as		
		$2CrO^{2}_{4[aq]} + 2H^{+}[aq]$ $Cr_{2}O7^{2}_{[aq]} + H_{2}O_{\{1\}}$		
		Yellow orange		
		State and explain the observation made when;		
		[i] NaOH is added to the equilibrium mixture	[2mks]	
		[ii] HCl is added to the equilibrium mixture	[2mks]	
10.		ng the electrolysis of dilute copper {II} chloride using carbon electrodes, a electrough the solution for 2 hours and 30 minutes	current of 1.5A was	
	[a]	Write the ionic equation of the reaction that occurred at the cathode	[1mk]	
	[b]	Given R.A.M of copper = 64 and $1F = 96500C$, calculate the change in n	nass of the cathode [3mks]	
•••••				
		Л		



11.	[a]	Define the term half-life	[1mk]
	[b]	Name two particles likely to be emitted when a radioactive nuclide undergoes	radioactivity [2mks]
	[c]	The half-life of a radioactive nuclide is 3 hours. Given that its initial mass is 28 the remaining mass after 12 hours.	38g, determine [2mks]
12.	M	the reduction potentials of elements M and N are; $I^{2+}_{[aq]} + 2e - \longrightarrow M_{[s]}, E^{\theta} = +0.44V$ $T^{+}_{[aq]} e - \longrightarrow N_{[s]}, E^{\theta} = -1.64V$	
	U	sing the above reduction potentials, predict whether a reaction would occur between $\mathbf{M}_{[aq]}$ and $\mathbf{M}_{[s]}$	een [3mks]
13.	A	n hydrocarbon can be represented as: $C_2 H_2$	[1mk]
	[b] State two reagents that can be reacted together to generate the hydrocarbon	[2mks]
	[c] Identify the group of hydrocarbons into which C ₂ H ₂ belongs to	[1mk]
14.	[a] Name two allotropes of sulphur	[2mks]

17.


	[b	In an experiment to investigate a certain property of sulphur, Maina added few dro HNO ₃ to sulphur in a test tube and warmed the mixture	ps of cond
		[i]State one observation made	[1mk]
		[ii]Write a chemical equation of the reaction that occurred	[1mk]
 15.	Chlor [i]	rine is commonly used in the manufacture of Ca (OCl) ₂ State one use of the above compound of chlorine	[1mk]
	[ii]	Write a chemical equation leading to the production of Ca (OCl) ₂	[1mk]
 16.		mpound can be represented as H H H O C - C - C - C - H H H H What name is given to the above class of compounds	[1mk]
	[b]	Name two reagents that can be reacted together to generate the above compound	[2mks]
	[c]	State two conditions necessary for the reaction leading to formation of the above contour	ompound [2mks]

Using dots and crosses, show bonding in carbon{II} oxide

[2mks]



18.	When 20g of a compound containing carbon, hydrogen and oxygen was burnt in the air, 2 carbon{IV} oxide and 11.7g of water were produced. Determine its empirical formulae.		
		, H=1 , O=16}	[3mks]
 19.	Few dr	rops of hydrochloric acid were added into a test tube containing lead {II} Nitrate so State one observation made	lution [1mk]
	{b}	Write an ionic equation of the reaction that occurred in the test tube	[1mk]
 20.		industrial manufacture of Ammonia one of the raw materials is nitrogen gas Name one other raw material	
		Tvaine one other raw material	•••••
	{b}	Name two possible sources of the raw material you have named in {a} above	[2mks]
	{c}	Name two substances that can be used as catalyst in this process	[2mks]
	{d}	State one use of ammonia	[1mk]
 21.	Gas X	and Y can be collected as shown below	





	[a]	Name the method used to collect gas Y	[1mk]
	[b]	How do densities of gas X and gas Y compare?	[1mk]
	[a]	Give an example of a gas that can be collected using the same method as gas Y	[1mk]
22.		ent W has two isotopes W $-$ 36 and W-40 which occur in the ratio x:4. Given that 25, find the value of x	[2mks]
23.		ibe an exp <mark>erime</mark> nt that can be used to determine whether a given sample of a liquid	d is pure [2mks]
 24.	A give	en mass of gas T diffuses through a porous plug in 48 seconds while a similar mas e in 70 seconds. Given that the density of gas T is 0.6g/cm3, find the density of gas	s of gas R
25. Th	ne electr	on configuration of elements A, B, C, D and E are as given below	

Element	Electron configuration
A	2, 8, 1
В	2, 8
С	2, 7
D	2, 8, 6

			Teacher co. ke	
		Е	2, 8, 3	
	{a}	Which element has the highest elec	etrical conductivity	[1mk]
	{b}	Which letter represents the most re	active metal	[1mk]
	{c}	Which letter represents the most re	active non-metal	[1mk]
•	• • • • • • • • • • • • • • • • • • • •		*****	•••••

