## MARKING SCHEME BIOLOGY FORM3 PAPER 1 TERM TWO

1. Growth is the irreversible increase in size and mass while development is the irreversible change in complexity of a living organism. (1x2 = 2mks)

Award as a whole

(1x1 = 1mk)

2.			
	a)	Nucleolus	(1x1 = 1mk)
	b)	Nucleus	(1x1 = 1mk)

3.

4.

Plants	Animals
Have chlorophyll	No chlorophyll
• Have cellulose cell wall	Lack cellulose cell wall
• Respond slowly to changes in their environment	Respond quickly
Plants do not move about	Do move about
Lack specialized excretory organs	Have complex excretory organs
	(1x4 = 4mks)

a)	Concentrates light on the object on the stage	$(1\mathbf{x}1 = 1\mathbf{m}\mathbf{k})$
b)	Brings image into focus and magnifies it	(1x1 = 1mk)

- c) Holds the eye-piece and revolving nose-piece
- d) An aperture that regulates the amount of light passing through the condenser to illuminate the specimen (1x1 = 1mk)

a)

A - Condensation

	B –Hydrolysis	(1x2 = 2mks)
b)	Sucrose	(1x1 = 1mk)
c)	Covalent bond	(1x1 = 1mk)

6. a) To investigate the effect of boiled saliva on starch/to show the effect boiled/denature enzyme amylase has on starch; (1x1 = 1mk)

b) A-brown colour/colourof iodine persists;

B- blue black/blue/dark colouration;

A-starch has been digested/starch has been broken down/amylase hydrolyses starch hence no

colour changes;

B-enzymes/amylase denatured hence no starch digested;

(1x4 = 4mks)

7.Oxygen-releases to the atmosphere or used by plants for respiration;

- Hydrogen-enter dark stage, where it combines with CO<sub>2</sub> to form simple sugar;
- ATP- provide energy during the combination of hydrogen a toms with CO<sub>2</sub>in dark stage;

8.Biconcave disc shaped to increase surface area for gaseous exchange;

- Have no nucleus to increase room for the package of red blood cells;
- Numerous in number to increase surface area for the transportation of oxygen
- Have haemoglobin which has a high affinity of oxygen;
- Cytoplasmic filaments/strands along which food streams;
- Companion cells have mitochondria that provide energy for translocation;
- Sieve plates with sieve pores through which cytoplasmic filaments pass.
- Photoplasmic material pushed on the sides to create lumen space for translocation;

)

9. a) Sunken stomata form pits; in which water vapour accumulates reducing rate of transpiration

x = 2mks)

b) Water proof; to reduce the rate of transpiration; (1x2 = 2mks)

10.

a) Lignin;	(1x1 = 1mk)	
b) Phloem;	(1x1 = 1mk)	
c) Xylem;	(1x1 = 1mk)	

11.

- a) A Gill rakers act as a screen preventing entry of food and other particles that might damage the delicate gill lamella; (1x1 = 1mk)
- B Gill bar for attachment of gill rakers and gill filament (1x1 = 1mk)
  - C Gill filaments the surface on which gaseous exchange take place (1x1 = 1mk)

Filaments are supplied with a dense network of blood capillaries for the efficient transportof gases;

0

12. Lungs (1x1 = 1mk)

- 13.
- a) Glycolysis

• Krebs cycle	(1x2 = 2mks)
b) Carbon IV Oxide	
<ul><li>Ethanol</li><li>Energy</li></ul>	(1x2 = 2mks)
14.Cocaine	
<ul><li>Cannabis</li><li>Khat</li></ul>	(1x3 = 3mks)
15.	
a) Glucose;	(1x1 = 1mk)
b) The person was a sufferer of diabetes mellitus;	(1x1 = 1mk)

c) Pancreas;

16. Nephritis

- Kidney stone
- Albuminuria
- Kidney failure (1x3 = 3mks)
- 17.

a) taxonomy is the classification of living organisms on their similarities and difference observed

(1x1 = 1mk)

= 1mk)

b) (i) Rottusnorvegicus(1mk) (Genus name MUST begin with capital letter and be underlined

separately)	$(1\mathbf{x}1 = 1\mathbf{m}\mathbf{k})$	
(ii) Genus – Ratt	us;	
Species	s – norvegicus;	(1x2 = 2mks)
18. a) Fungi;		(1x1 = 1mk)
b) Sporulation;	(1x1 = 1mk)	

c)Whorled

<ul> <li>Opposite</li> </ul>
------------------------------

• Alternate

(1x3 = 3mks)

19.

a) Help to breakdown dead organic matter hence reducing bulk; in the recycling of Nutrients;

	)
b) Regulate the predator – prey population;	(1x2 = 2mks)
20.	
a) Grass GrasshoppersBirds;	(1x2 = 2mks)
b) Not all the energy is transferred from one trophic during metabolism and some is lost when or	level to another; some is lost as heat, some is used up ganisms die and decay; $(1x2 = 2mks)$
21.Vibriocholerae	(1x1 = 1mk)

a) Salmonelatyphe (1x1 = 1mk)

## 22.

a) Quadrat
b) Capture Recapture method
c) Line transect
d) Belt transect
(1x3 = 3mks)

23.Integuments ; (1x1 = 1mk)

a) Primary endosperm nucleus; (1x1 = 1mk)