Name		Index	< No:	
233/3 CHEMISTRY Paper 3 (Practical) TERM-3-2017 Time: 2 ¼ Ho FORM THREE	urs	Candidate's Signature Date:		
	Kenya Cer	tificate of Secondary I	Education (K.C.S.E.)	
	INSTRUCTIONS TO CANDIDATES			
	<ul> <li>Write your name and Admission number in the spaces provided.</li> <li>Sign and write the date of examination in the spaces provided.</li> <li>Answer all the questions in the spaces provided in the question paper.</li> <li>You are not allowed to start working with the apparatus for the first 15 minutes of the 2 ¼ hours allowed for this paper. This time is to enable you to read the question paper and make sure you have all the chemicals and apparatus you need.</li> <li>All working must be clearly shown where necessary.</li> <li>Wathematical tables and electronic calculators may be used.</li> </ul>			es provided. provided. e question tus for the first his time is to you have all the be used.
	Question	Maximum Score	Candidate's Score	
	1			
	2			
	1			1

This paper consists of 6 printed pages. Candidates should check to ascertain that all pages are printed as indicated and that no questions are missing.

## **QUESTION 1**

#### You are provided with

• 1.0M hydrochloric acid, solution **S** 

TOTAL

- 0.5 M sodium hydroxide, solution **S**
- Anhydrous Sodium Carbonate of unknown mass; solid V

40

Procedure

1

00000

1.

Measures  $60 \text{cm}^3$  portion of 1M hydrochloric acid using a measuring cylinder and transfer it to  $100 \text{cm}^3$  beaker. Add all sodium carbonate (solid **V**) to the acid in the beaker and stir gently. Leave the mixture until there is no effervescence

Transfer the mixture into a clean 100ml measuring cylinder and add distilled water to make 100cm3 of the solution. Transfer all the solution into 250cm<sup>3</sup> beaker and shake well. Label this solution W Fill the burette with solutions S pipette 25.0cm<sup>3</sup> of solution W and transfer to a conical flask. Add 3-2 drops of methyl orange indicator and titrate with solution S (a) Repeat the titration to get two more concordant values

			(5mks)
Titration	1	2	3
Final burette readings (cm <sup>3</sup> )			
Initial burette reading (cm <sup>3</sup> )			
Volume of solution S used (cm <sup>3</sup> )			

(b) Determine the average volume of solutions used

- (c) Calculate the number of moles of Sodium hydroxide (solution **S**) used (2mks)
- (d) Find the number of moles of hydrochloric acid in  $25.0 \text{ cm}^3$  of solution W (2mks)
- (e) Determine the number of moles of hydrochloric acid in  $100 \text{cm}^3$  of solution W (2mks)
- (f) Calculate the number of moles of hydrochloric acid in the original 60cm3 of solution (2mks)
- (g) Calculate the number of moles of hydrochloric acid reacted with sodium carbonate (1mk)
- (h) Determine the mass of sodium carbonate that reacted with acid (Na=23, C=12,O=16) (2mks)

You are provided with
3.0g of salt Y (3.0g)
You are required to determine the solubility of salt Y in water at different temperatures *Procedure*1. Place all salt Y into a clean boiling tube

2.

Table 1

2. Transfer 4cm3 of distilled water from 10cm<sup>3</sup> measuring cylinder into the boiling tube containing salt Y. insert the thermometer into the boiling tube

3. Heat the mixture of salt and water carefully until all the salt dissolves and the solution is clear

. Remove the boiling tube from the flame and allow it to cool while stirring with the thermometer carefully and gently

**NOTE:** The temperature at which the crystals first appear. Record this temperature in the table 5. using the same mixture from (4) above add from a 10cm3 measuring cylinder 1cm<sup>3</sup> of more water and repeat procedures 3 and 4 above. Carry out fur more experiments and ether your results in the table below

**NOTE:** You may hasten cooling for the first two temperature readings bt pouring cold water from the tap on the sides of the boiling tube.

(a) Fill in the missing volumes of solubility of salt in grams per 100g of water (3mks)

(3mks)

(b) Plot a graph of solubility of salt **Y** with crystallization temperature

(c) Use your graph to determine the solubility of salt **Y** in water at 55°C (1mk) You are provided with: SOLID **F** 

Carry out the tests below

Write your observations and inferences in the spaces provided

(i) Using a clean spatula heat half spatula full of F in a non-luminous flame

3.

Observations	Inference
(1mk)	(1mk)

Place the remaining  $\mathbf{F}$  into a boiling tube, and add about  $10 \text{cm}^3$  of water, stir and filter (keep the residue for vi)

#### (ii) To portion are add sodium hydroxide drop wise till excess

Observations	Inference
(1 1)	(1 1)
(1mk)	(1mk)

#### (iii) To the second portion add ammonia solution drop wise till excess

(		
Observations	Inference	
(1mk)	(1mk)	

#### (iv) To the third portion add Lead (II) Nitrate solution the warm

Observations	Inference
(1mk)	(1mk)
(v) To the fourth portion add barium chloride s	olution then followed by dilute hydrochloric acid
Observations	Inference
(1mk)	(1mk)

(vi) Dissolve the residues into about 5cm<sup>3</sup> of 2M HCl<sub>(aq)</sub>

Observations	Inference
(1mk)	(1mk)

(b) You are provided with solid **L**. Carry out the tests below write your observation and inferences in the spaces provided.

(i) Place little of solid  $\mathbf{L}$  in a clean metallic spatula and ingite with a Bunsen flame

Observations	Inference
(1mk)	(1mk)

## (ii) Add all the remaining solid $\mathbf{L}$ into a test tube. Add $10 \text{cm}^3$ of distilled water and shake.

<u> </u>	
Observations	Inference
(1mk)	(1mk)

### (iii) Add 2cm<sup>3</sup> of **L** into a test tube and test PH

 $\sim$ 

(iii) Add Zein of L into a test tube and test 111	
Observations	Inference
(1mk)	(1mk)

# (iv) Add $2cm^3$ of L into a test tube and Potassium Manganate VII and warm

Observations	Inference
(1mk)	(1mk)

## (v) Add $2cm^3$ of **L** into a test-tube and add sodium hydrogen carbonate

Observations	Inference
(1mk)	(1mk)