

## 232/2 PHYSICS PAPER 2 MARKING SCHEME


1.



2.




- 3. They acquire North poles at the ends thus they repel.
- 4. i)



ii)

## **2** | Page



- 5. Light energy to electrical energy
- 6. i) Microwaves, infrared, visible light, x rays
  - ii) Observing objects
    - Taking pictures
- 7. Alkaline Produces higher current
  - Lasts longer
  - It is portable
  - Less maintenance & care

8. 
$$V = \frac{25}{t}, \Rightarrow S = \frac{Vt}{2}$$

$$S = \frac{330 \times 0.6}{2} = 99m$$

9. Separation of colours of light from white light.

10 
$$I = V/R$$
  
=  $\frac{2}{6} = \frac{1}{3}$   
= 0.33A

11. 
$$an_g = \frac{3}{2}, an_o = \frac{6}{3}$$
$$\therefore an_g = an_{ga} = n_{ga}$$

$$\therefore {}_{o}n_{g} = {}_{o}n_{aa}n_{g}$$

$$= \frac{3}{6}x\frac{3}{2}$$


$$= \frac{9}{12} = \frac{3}{4}$$

$$= \frac{3}{4}or 0.75$$

- 12. Distance between the plates
  - Area of plates
  - Dielectric material used

## **SECTION B**

- 13. a) For an atomic conductor p.d across the ends is directly proportional to current if temperature and other constants kept constant;
  - b) i)



Ammeter in series;

Voltmeter in parallel

Variable resistor in series

(apparatus must be workable)

- ii) Connect the apparatus as shown
  - Vary variable resistor such that I is certain value;
  - Record I in ammeter and V in Voltmeter;
  - Draw graph of V against I;

c) Parallel 
$$\underline{I} = \underline{1} + \underline{1} + \underline{1}$$
  
R 6 4

$$\frac{1}{R} = \frac{2+3+4}{12}$$

$$\underline{I} = \underline{9}$$

$$R = 4=1 \frac{1}{3}\Omega$$

$$R_1 = 4 + 1^{1}/_{3}$$

$$=51/_3\Omega$$

$$I = V/R = 4.5/5.33$$

$$= 0.844A$$

$$=3.377V$$

14. (i) Time taken for n number of claps. The claps should concide with the echos;

The distance between the civil and walls;

(ii) Sound has to travel to the walls and reflected back to the coil

Distance travelled is 2d;

For n claps there will be n echo's;

Total distance travelled =  $n \times 2d$ 


$$=\frac{2nd}{d}$$

Speed of sound

(iii) 200m;

10m is short distance and timing will be inaccurate;

500m is too long for sound to travel through and be reflected back. Energy will have been lost along the way;



Wavelength maintained;

Wave form;

(ii) When the sound goes through the balloon it is focused to one point, hence changing the position the sound becomes less; (refracted)

$$V = f\lambda$$

$$340 = 1020 \times \lambda;$$


$$\lambda = \frac{340}{1020}$$
(iii) = 0.3333 m;

- C) (i) Destructive and constructive interference
  - (ii) Maximum amplitude or horizontal line
  - (iii) Loud sound all through
- 15. (a) (i) Light must travel from denser medium to less dense medium.

Angle of incidence in the denser medium must be greater than critical angle in the less dense medium.

(b) (i) 
$$\underline{\sin i} = n$$
  
 $\sin 7$   
 $\underline{\sin 30}^{\circ} = 1.618$   
 $\sin 18^{\circ}$   
 $n = 1.618$   
(ii)  $\sin C = \underline{1}$   
 $\sin C = \underline{1}$   
 $1.618$   
 $C = \sin^{-1} 0.61804$   
 $C = 38.17^{\circ}$   
16.Intercept =  $\underline{1}$   $\overset{\circ}{f}$   
 $2.5 \times 10^{-2} \text{ cm}^{-1} = \underline{1}$   $\overset{\circ}{o}$   
 $f = 40 \text{ cm}$   $\overset{\circ}{o}$ 

- 17. (i)
- 4 | Page





(ii) As a magnifying glass.

(iii)	EYE	CAMERA
	- Crystalline convex lens.	- Convex lens.
	- Choroids layer of eye is black	- Camera box is painted black inside.
	- Eye forms image in retina.	- Images formed on light sensitive film.
	- Iris controls amount of light entering the eye.	- Diaphragm controls amount of light
		entering the camera.

(d) (i) 
$$\frac{1}{V} + \frac{1}{U} = \frac{1}{f} \qquad f = -20$$

$$\frac{1}{V} = \frac{-1}{f} - \frac{1}{U} \checkmark 1$$

$$= \frac{-1}{20} - \frac{1}{10} = \frac{(-1-2)}{20}$$

$$= \frac{-3}{20}$$

$$V = 6.67 \text{ cm } \checkmark 1$$

$$\label{eq:interpolation} \mbox{Im}\, age\,\, height = \frac{\mbox{Im}\, age\,\, dis \tan ce \times Object\,\, height}{Object\,\, dis \tan ce}$$

$$HI = \frac{V \times H_{\circ}}{U} \checkmark^{1}$$

$$= \frac{6.67 \times 10.5}{10}$$

$$= 7.00 \text{cm} \checkmark^{1}$$

(iii) 
$$M = \frac{V}{U} = \frac{6.67}{10} = 0.667 \text{cm} \checkmark 1$$

